



Christopher M. Brock
Direct Dial: 248.641.1208
brock@hdp.com

October 27, 2009

Commissioner for Patents
P. O. Box 1450
Alexandria, Virginia 22313-1450

Re: U.S. Patent No. 7,441,997 B2
Issued: October 28, 2008
Inventors: Sivakumar Ramasamy et al
For: Break Away Fastening System
Atty. Ref: 0275M-000666/COB

Sir:

We have noted in proofreading Patent No. 7,441,997 B2 the following errors:

Title Page (56) References Cited, U.S. PATENT DOCUMENTS, "2,583,868",
(Notice of References Cited Form PTO-892 attached to Office Action dated 12/09/2004,
Reference G),
"Thaddeus" should be --Mocium--.

Title Page (56) References Cited, U.S. PATENT DOCUMENTS, Page 2, "3,279,517",
(Notice of References Cited Form PTO-892 attached to Office Action dated 05/23/2006,
Reference J),
"Lewis" should be -- Logan --.

Please make these errors of record in your file.

Very truly yours,

Christopher M. Brock
Reg. No. 27313

CMB/jb

15127428.1

Harness, Dickey & Pierce, P.L.C.
Attorneys and Counselors
P.O. Box 828
Bloomfield Hills, Michigan 48303 U.S.A.
248.641.1600 • fax 248.641.0270

FOR COURIER DELIVERY ONLY
5445 Corporate Drive, Suite 200
Troy, Michigan 48098 U.S.A.

Metropolitan:
Detroit, MI St. Louis, MO Washington, D.C. Portland, OR

www.hdp.com